

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax

Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 11, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-2100925, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: 159791(J.D. SMITH #6119)

Farm Name: WV PUBLIC LAND CORP.

API Well Number: 47-2100925

Permit Type: Plugging Date Issued: 12/11/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

Form WW-4 (B) Permit Copy (Rev 2/01) Date:

November 22, 2013

Operator's Well Well No.

159791 (J.D. Smith #6119)

API Well No.:

47 021 - 00925

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

		AFFLICATION	TONAFLI	TIVILL TO F	LUG AI	ND ADAIND	JIN		
4)	Well Type: Oil	Gas		위하기		Was			
	If Gas, Production	X	Or Undergro	und storage		Deep _		Shallow _	X
5)	Elevati Location:					Kanawha Riv Quadrar		Tanner 7.5	(7)
	District:	Dekaid 07	County:	GIII	iei 🛴	Quadrar	igie	Talliel 7.5	634
6)		T Production Cor	mpany	7)	Designat	ed Agent:	Rex C. Ra	av	
		O Professional Pla				120 Prof			
		dgeport, WV 263	30	_		Bridgepo	ort, WV 263	30	
8)				9)	Pluaaina	Contractor:			
-,	Oil & Gas Bryan Har	ris			Name:	HydroCarbo	n Well Serv	vice .	
	Name: P.O. Box			_	Address:	PO BOX 99			
	Address: Volga, W\	J 26238				Buckhannor	n, WV 2620)1	
								SEIVED Oil and G V 252013 Department mental Pro-	as t of praction
			OFFIC	E USE ONLY					
			01110	L JOL OIVET					
	Notification must be of		ict oil and gas	inspector 2	4 hours b	pefore permitt Date	ed work car	n commence	

OK grum

PLUGGING PROGNOSIS -Weston

Smith, J.D. # 6119 (159791)

GILMER, COUNY, WEST VIRGINIA API # 47-021-00925-D Dekalb District

BY: Craig Duckworth

ELEU! 10271

DATE: 10/28/13

CURRENT STATUS:

10" csg

@ None Reported

8 1/4" csg

@ 178'

6 5/8" csg

@ 1025

3" tbg

@ 1991'

TD @ 2006'

Fresh Water @ 70'

Salt Water @ None reported

1st Salt Sand @ 1145

Coal @ 84'-86'

Gas shows @ 1561(2nd Salt Sand 1555'-1595'); 1812' & 1843' (Big Lime 1810'-1900'); 1914'-1940'

(Big Injun 1900'-1953')

Oil Shows @ None Reported

Stimulation: Shot 1951'-1913' (120 qts.)

- 1. Notify State Inspector, Bryan Harris 304-553-6087, 24 hrs. Prior to commencing operations.
- 2. Attempt to pull 3"tbg, if unable to pull free point and shoot at free point.
- 3. TIH w/ tbg @1991'; Set 260' C1A Cement Plug @ 1991' to 1768' (Gas shows @ 1953'- 1900'Big Injun; 1810'-1900' Big Lime)
- 4. TOOH w/ tbg @ 1768; gel hole @ 1768' to 1555'.
- 5. TOOH w/tbg @ 1555'; Set 100' C1A Cement Plug @ 1555' to 1455' (2nd Salt Sand @ 1555')
- 6. TOOH w/ tbg @ 1455; gel hole @ 1455' to 1145'.
- TOOH w/ tbg @1145 '; Set 170' C1A Cement Plug @ 1145' to 975' (Salt Sand @ 1145' & 65/8" csg set 1025')
- Set a 100' C1A Cement Plug 50' In/Out of cut. Perf. all FW, Coal, Oil and Gas shows below 6 5/8" cut. Do not omit any plugs
- 9. TOOH w/ tbg @ 975'; gel hole @ 975' to 230'
- 10. TOOH w/ tbg @ 230'; Set 230' C1A Cement Plug @ 230' to Surface (10"csg @ 178')
- 11. Top off as needed
- 12. Set Monument to WV-DEP Specifications
- 13. Reclaim Location & Road to WV-DEP Specifications

ATTEMPT TO REMOVE 65/8" CHANG.

Office of Oil and Gas

WY Department of . Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

M. all

WELL RECORD

Permit No	3IL 925 D		YY E.L.	RECORD		2027Sr Gas	Well (RIND)
•		les Company. St. Clarksbu		Casing and Tubing	Used in Drilling	Left in Well	Packers
				Size			•
Location (waters					1	R	ind of Packer
Well No611			Mov_1032	16			
		_County_Gilme		18		g.	se of
The surface of tr		fee by		10	178	1.78	36 VI
		Address		6%	1025		epth set
Mineral zights at	to owned by	Address		58/16			
deep Drilling commen	- fed. 70			8	1991	1991 P	arf. top
rilling completed July 1, 1952 rilling completed July 19, 1952				8		P	erf. bottom
	24 152 Prot		1951	Liners Used		Р	erf. top
	00ta					Р	erf. bottom
Open Flow		in	Inch			jot	
· · · · · · · · · · · · · · · · · · ·	•	in		Casing Ceme			PtDai
Volume	130,00	0	Cu F&				
Rock Pressure	£0 #	Tha	hrs.	COAT. WAG IN	NCOUNTERED	ngre At Fe	ETINCHE
on			_bbls., 1st 24 brs.	•			
Fresh water nor	in Lecolner	foot	foet	•			
Salt water nor	A Votor cad	fest	fest	PER	DICE		INCAL
Formation	Color	Hard or Soft	Тор	Betten	Off, Gas or Water	Depth Found	Remarks
	COED OF	DEKPER DRIL	LING.				
Ca	umen ced			1815			
18:	g Lime			1900	gr.	1843	
B	g Injun		1900	1953	ges	1914 1940	'
Te	tel depth			2006			
		{					
				·		}	
	1					1	
				•		}	1.
					i		
		Situa	2829303 ♣ G1952				
		DEPARTME	VIEW 5				
6		AL WEST	rsing 25				1)//
		, ,				1	
	<u> </u>			(Oper)		·	



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Permit No 914925 Diline Gas Well (KIND) Hope Natural Gas Co. Company_ A45 W. Hain Street, Clarksburg, W. Va. Tubing Packers Address J. D. Smith Acres 475 - 75 Farm. Location (waters)______6119 Sizo Kind of Packer... Elev. 1032 Well No. DeKalb Gilmar District _County_ The surface of tract is owned in fee by_ Size of... 178 1025 1025 Depth set. Mineral rights are owned by. 8% ₿8/16L Address 1815 1815 2-20-22 Perf. top. Drilling commenced Perf. bottom Drilling completed. 3-15-22 Liners Used Perf. top. Date Shot_ With Perf. bettom Open Flow /10ths Water in CASING CEMENTED. /10ths Merc. in Inch Volume Cu Ft. Rock Pressure The COAL WAS ENCOUNTERED AT... AL FERT _INCHES bbls., 1st 24 hrs. Oil. PEET INCHES 70 INCHES Fresh water. Mone Recorded feet FEET INCHES INCHES feet Salt water. Hard or Soft OII, Gas or Water Remarks Formation Color Top Bottom Coal Little Dunkard 86 Water 70' 84 845 ? Big Dunkard 945 1130 1017 Gas Sand 1145 1285 First Salt 1561 1555 1625 Second Salt 1595 1652 Gas któr Little Line Poncil Cave Big Line 1780 1780 1810 1810 1812 Gas 1815 Total Depth TO BE DRILLED DEEPER

(Que)

			<u></u>				• •
F	i	2	3	Latitude	33	55'	
	BENNETT HRS. W.G. F.S. Syc. NSO+ N-30A NATION SIGNATURE OR (C)	MIL NEED - 174 COO NEOD - 174 IN PIECE - 174 PHICE IS ESSE	FRASHURE 60 5 1 500 10 500 10 500 10 500 10 500 10 10 10 10 10 10 10 10 10 10 10 10 1	-834 °. 31 4" J. D. SMITH SZONG 138 142			Lotte in the contract of the c
- 1	am A STATE OF THE PARTY OF THE	315°N-28° \$10. \$10. \$10. \$10. \$10. \$10. \$10. \$10.	My 116-8-10-6 115-8-10-6 115-8-10-6 115-8-10-6 115-8-10-6 15-	6119 Elev. 1032 FAST FUN ESRSY 18		44C 24	:
	New Location	6/19		44gn 34 4 31 - 5.35 V/28 = 1	e e scado	k 971. ***)	
	Company HOP	E NATUR ARKSEUR SMITH	G, W. VA.	STATE OF WE TRANTPARED OIL AND GAI CHARLE	ST VIPES OF MINES S DIVISION	AIN: NC	-
	Weli (Farm) No			WELL LOCA			
•	Erevation (Spirit Le	vel) _ /032	3′	FILE NOG	L-72	S-D /	
	Quadiangle	LENVILLE E Distric	DEKALB (NQ)	Topographic Maps, saitude and longitude lin	rie i to 6 as being wn.	2,560, ····································	
	File No	Drawleg	g No	 Denotes one inch s of original tracing. 			
	Date	Scale	!" = 60 Pries			25117	••••
	-Mediate, "esting attent					3502	

Permit

WW-4-A
Revised 6/07

County

State

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

	2	NOTICE AND APPLICATION TO	PLUG A	ND ABAND	ON WELL
4)	Surface Owner(s	s) to be served:	/	5) (a) Coal	Operator:
	(a) Name	West Virginia Public Land Corp.		Name	None
	Address	Real Estate Div/Chuck Lawrence Dir.		Address	
		900 Pennsylvania Ave.			
		Charleston WV 25302			
	(b) Name			(b) Coal Ow	ner(s) with Declaration
	Address			Name	see attached sheet
				Address	
	(c) Name			Name	
	Address			Address	
6)	Inspector	Bryan Harris		(c) Coal Les	ssee with Declaration
	Address	P.O. Box 157		Name	None
		Volga, WV 26238		Address	
	Telephone	304-553-6087			
nw.ca					
TC	THE PERSONS	NAMED ABOVE: You should	d have rece	eived this Form	and the following documents:
	(1) The applica	ation to Plug and Abandon a Well on Form	WW-4B. w	hich sets out t	he parties involved in the
		lescribes the well its and the plugging work			and the second s
	(2) The plat (su	urveyor's map) showing the well location or	n Form WV	V-6.	
		u received these documents is that you ha			
	instructions on	the reverses side. However, you are not	required to	take any action	n at all.
	Take notice the	at under Chapter 22-6 of the West Virginia	Cada tha	undersianed	vall apparator proposes to file or has filed
		at under Chapter 22-6 of the West Virginia d Application and accompanying document			
		nd Gas, West Virginia Division of Environm			
		d Application and depicted on the attached			
		iled by registered or certified mail or delive			
		stances) on or before the day of mailing or			A Constitution of National Production and Section
	Particular de la company de la	Well Operator:	EOT D	roduction Co	mnany
		By:		ia J.Roark	Mary Ah
		Its:		tting Supervis	sor
		Address:	PO Bo	x 280	DOCE I GAS
			Bridge	eport, WV 263	330
		Telephone:	(304) 8	348-0076	Office o.
Su	bscribed and swo	orn before me this 2 0 22	day of	alonen	nber, 20131252013

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Office at the privacy of th

NOTAF PUBLIC

MALGEI

109

S. WV 26260

Expires August 24, 2022

Notary Public

My Commission Expires August 24, 2022

WW-9 Revised 2/03

Page of				
2) Operator's We	ll Nu	mber		
159791 (J.D. Sm	ith #	6119)		
3) API Well No.:	47	021 -	00925	

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name:	EQT PRODUCTION	COMPANY	OP II	D:	
Watershed:	Lower Run of Litt	le Kanawha River	Quadrangle:	Tanner 7.5'	_
Elevation:	1027' Cou	unty: Gilm	er District:	Dekalb	_
Description of anti	cipated Pit Waste:	:	Formation Flui	ds	_
175	using more than 5,000 b be used in the pit?		ete the proposed well wo	ork? Yes No_X_ 30 ml	
Proposed Disposa	Underground Inje Reuse (at API Nu Offsite Disposal I	ection - UIC Permit Nur umber)	mber		
If oil ba	Other: Explain nticipated for this well? ased, what type? Synthe		ed, etc.		_
Additives to be use			The state of the s		
	pit and plan to solidify what or offsite name/permit num		Cernent, Lime, sawdust		
issued on August understand that the permit and/or other I certify under penapplication form a for obtaining the in	1, 2005, by the Office of the provisions of the perm or applicable law or regu- alty of law that I have per and all attachments there	Oil and Gas of the We nit are enforceable by I lation can lead to enfo ersonally examined an eto and that, based on t the information is true	est Virginia Division of I aw. Violations of any to rcement action. d am familiar with the ir my inquiry of those indi- e, accurate and complet	ATER POLLUTION PERM Environmental Protection. It is created by the general protection of the general protection of the general protection and the general protection in the ge	l neral s sible
Company Of	ficial Signature		A/n	/ neo	EIVE
Company Of	ficial (Typed or Printed	d) <u>Victoria Roark</u>		Office of	Oli a
Company Of	ficial Title	Permitting Super	visor-WV	VOV	<u>0</u> 5 2
Subscribed an	d sworn before me this	ugel day o	700,	Publicum OFFIC	SOSTI

OPERATOR'S WELL NO.: 159791 (J.D. Smith #6119)

LEGEND

Property Boundary		Diversion	/////	1//
		Spring	Wet Spot	
Road		\bigcirc	~ ∀ -	
Planned Fence	Drain Pipe	with size in inches	Water Wa	ay
//_/		- 12	()	•
Existing Fence	Stream		Cross Drain	
Open Ditch		ll Filter Strip	Rock	
North	Building	Water well	Drill site	
N		w	\oplus	
Pit with Cut Walls	Pit with Com	npacted Walls Area or	Land Application	or Pit Wast
fertilizer (10-20-20) or equ			lbs/acre (500	lbs minimum
Area I	OLLD IIIX I	JILO	Area II	
Seed Type	lbs/acre	Seed Type		lbs/acre
Y-31	40	Orchard Grass		15
Alsike Clover	5	Alsike Clover		5
nnual Rye	15			
ATTACH:				
Orawing(s) of road, location, Photocopies section of involv	•	* *		
Plan approved by:			•	
Comments:				\
Title:		Date:		,

Topo Quad:_	Tanner 7.5'	Scale:	1 " = 2	000'
County:	Gilmer	Date:_	Octob	er 29, 2013
District:	Dekalb	Project	t No: 25-19-	00-07
	WV 159791 47	-021-00925 (J.D. Smith #6	5119) Topo
Lower Run CALHOUN CALHOUN Gas Well Gas Well Gas Well Gas Well	Grantsville 1.5 Quadrangle Tamer 7.5 Quadrangle Tamer 7.5 Quadrangle	Gas Well Gas Well Gas Well Gas Well	Gas Well	Withers Elia Ch Weil Gas Weil Gas Weil Gas Weil Gas Weil Gas Weil Gas Weil
Granteville 7,5' Quédrangle Millistone 7,5' Quédrangle		TER Gas Well DE KA		Gas Weit Tanner 7.5' Quadrangle Normantown 7.5' Quadrangle
R.W. Gase W	Milistone 7.5 Quadrangle Normantown 7.5 Quadrangle	as Welfs Gas Welf Welf Rac C Tox	Gars Well	NAD 27, South Zone N: 685,970.01 E: 2,005,269.24 WGS 84 LAT: 38.883797 LONG: -80.981491 ELEV: 1027.40
EGHEN OF THE PARTY	SURVEYING AND MAPPING: ALLEGHENY S 1-800-44 P.O. BI BIRCH RIVE PH: (304)	SURVEYS, IN 82-8606 0X 438 R. WV 26610		oduction Company P.O. Box 280 idgeport, WV 26330



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-021-00925 . WELL NO.: WV 159791 (J. D. Smith #6119) .
FARM NAME: J. D. Smith
RESPONSIBLE PARTY NAME: EQT Production Company .
COUNTY: Gilmer DISTRICT: Dekalb
QUADRANGLE: Tanner 7.5'
SURFACE OWNER: State of West Virginia (Division of Natural Resources)
ROYALTY OWNER:J. D. Smith, et al
UTM GPS NORTHING: 4303892 .
UTM GPS EASTING: 501620 . GPS ELEVATION: 313 m (1027 ft) .
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude:
Stig Okn P5# 2180 OMOS 05 2013
Signature ///1/13 Title
Date Continuental Protos



POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY LEASE NAME AND WELL No. ____ J. D. Smith #6119 WV 159791 (47-021-00925)

POTENTIAL SAMPLE LOCATIONS

There appears to be no known water samples within the required 1000' of the existing well WV 159821.

BIRCH RIVER OFFICE

P.O. Box 438 * 237 Birch River Road Birch River, WV 26610 phone: 304-649-8606

fax: 304-649-8608

BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037

CALDWELL OFFICE 212 Cumberland Street Caldwell, OH 43724

phone: 740-305-5007 fax: 740-305-5126

ALUM CREEK OFFICE

P.O. Box 108 * 1413 Childress Road Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948

W W W . A L L E G H E N Y S U R V E Y S . C O M -

Topo Quad:	Tanner 7.5'	Scale:	1 " = 2	2000'
County:	Gilmer	Date:_	Octob	er 29, 2013
District:	Dekalb	Projec	t No: 25-19-	-00-07
Water	WV 159791 4	7-021-00925 (J.D. Smith #6	6119)
Lower Run	Gas Well Mild Leck Gas Well	A MEDICAL SERVICE OF THE PROPERTY OF THE PROPE	Gas Well	Wither Elia Ch. Well
Cern Cern S Grants-the 7,5' Auedrang Millstone 7,5' Quadrang	Gas Well C E I	Gas Welf Welf	Gas Well Gas Well Gas Well Gas Well Gas Well Gas Well Gas Well	925 11 Gas Well Gas Well Gas Well Well
Gas Gas	ATHORN CO CONTRACTOR OF STATES OF ST	Gas Wells Gas Well Gas Well Rac Provided Rac	TSIs's Well	NAD 27, South Zone N: 685,970.01 E: 2,005,269.24 WGS 84 LAT: 38.883797 LONG: -80.981491 ELEV: 1027.40
EGH COLOR OF THE C	SURVEYING AND MAPPING ALLEGHENY 1-800- P.O. BIRCH RIV PH: (30	S SERVICES PERFORMED BY: SURVEYS, IN 482-8606 BOX 438 EER, WV 26610 4) 649-8606 4) 649-8608		oduction Company P.O. Box 280 idgeport, WV 26330